# SAFETY DATA SHEET

**Revision Number** 3

Revision Date 14-Dec-2015 Issuing Date No data available



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE **COMPANY/UNDERTAKING**

Product identifier

**Product Name** soapstone

Other means of identification

**Synonyms** None

Recommended use of the chemical and restrictions on use

Recommended Use Markers

Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Name** ZHEJIANG LISSAM WELDING EQUIPMENT CO.,LTD

Supplier Address FL.4TH,NO.5 QINGCHUAN BUILDING,NO.10 HUACHENG

ROAD(N), ZHUJI, ZHEJIANG, CHINA

ZHUJI **ZHEJIANG** 311800 CN

**Supplier Phone Number** Phone:008657587336988

Fax:008657587266559

Supplier Email 3338460448@gq.com

Emergency telephone number

**Company Emergency Phone** 

Number

008657587397358

## 2. HAZARDS IDENTIFICATION

### Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).



Page 1/11

## GHS Label elements, including precautionary statements

**Emergency Overview** 

Signal word None

**Hazard Statements** 

None

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Appearance White Physical state Solid Odor Odorless

**Precautionary Statements - Prevention** 

None

**Precautionary Statements - Response** 

None

**Precautionary Statements - Storage** 

None

**Precautionary Statements - Disposal** 

None

Hazards not otherwise classified (HNOC)

Not applicable

**Unknown Toxicity** 

35.94 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

May cause slight eye irritation

Interactions with Other Chemicals

No information available.

**U** 

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical name	CAS No	Weight-%	Trade Secret
Silicon Dioxide - hydrated	7631-86-9	40 - 70	*
Magnesium oxide	1309-48-4	15 - 40	*
Ci 77491	1309-37-1	1 - 5	*
Alumina	1344-28-1	1 - 5	*
Calcium oxide	1305-78-8	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 4. FIRST AID MEASURES

### First aid measures

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

**Skin contact** Wash with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an

unconscious person.

## Most important symptoms and effects, both acute and delayed

**Most Important Symptoms and** 

**Effects** 

No information available.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

#### **Hazardous Combustion Products**

Carbon oxides.

#### **Explosion Data**

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

(U

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

eyes.

Conditions for safe storage, including any incompatibilities

**Storage** Keep container tightly closed.

Incompatible Products Water. Acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

## **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Silicon Dioxide - hydrated	10 mg/m <sup>3</sup>	20 mppcf TWA; ((80)/(% SiO2)	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9	-	mg/m³)	TWA: 6 mg/m <sup>3</sup>
Magnesium oxide	TWA: 10 mg/m <sup>3</sup> inhalable	TWA: 15 mg/m <sup>3</sup> fume, total	IDLH: 750 mg/m <sup>3</sup> fume
1309-48-4	fraction	particulate	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		particulate	_
Ci 77491	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 10 mg/m <sup>3</sup> fume	IDLH: 2500 mg/m <sup>3</sup> Fe dust and
1309-37-1	fraction	TWA: 15 mg/m <sup>3</sup> total dust	fume
		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ Fe dust and
		fraction	fume
		(vacated) TWA: 10 mg/m <sup>3</sup> fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction regulated	
		under Rouge	
Alumina	TWA: 1 mg/m <sup>3</sup> respirable	TWA: 15 mg/m  stotal dust	
1344-28-1	fraction	TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
	-	respirable fraction	3
Calcium oxide	TWA: 2 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m੍ਰ³
1305-78-8		(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992)

**Appropriate engineering controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems



Revision Date 14-Dec-2015 1300042 - soapstone

#### Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Solid

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Physical state **Appearance** White Odor Odorless

Color No information available **Odor Threshold** No information available

**Property** Values Remarks Method

pН No data available None known Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Specific Gravity No data available None known **Water Solubility** Insoluble in cold water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

**Explosive properties** No data available Oxidizing properties No data available

#### **Other Information**

**Softening Point** No data available VOC Content (%) No data available Particle Size No data available

**Particle Size Distribution** 

## 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

#### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

### **Hazardous Polymerization**

Hazardous polymerization does not occur.

## **Conditions to avoid**

None known based on information supplied.

## Incompatible materials

Water. Acids.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors. Calcium oxides.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Silicon Dioxide - hydrated 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat ) 1 h
Ci 77491 1309-37-1	> 10000 mg/kg (Rat)	-	-
Alumina 1344-28-1	> 5000 mg/kg (Rat)	-	-
Calcium oxide 1305-78-8	= 500 mg/kg (Rat)	-	-

## Information on toxicological effects

**Symptoms** No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.



Mutagenic Effects No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon Dioxide - hydrated 7631-86-9		Group 3		
Ci 77491 1309-37-1		Group 3		

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity No known effect based on information supplied. Carcinogenic potential is unknown.

Target Organ Effects None known.

**Aspiration Hazard** No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

24,265.00 mg/kg

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Silicon Dioxide - hydrated 7631-86-9	72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata)	96h LC50: = 5000 mg/L (Brachydanio rerio)		48h EC50: = 7600 mg/L
Calcium oxide 1305-78-8		96h LC50: = 1070 mg/L (Cyprinus carpio)		

### Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available

## Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal methods**This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

**Contaminated Packaging** Dispose of contents/containers in accordance with local regulations.

#### California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Calcium oxide	Corrosive
1305-78-8	

## 14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON REGULATED

Hazard Class N/A

TDG Not regulated

MEX Not regulated

<u>ICAO</u> Not regulated

IATA Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated

ADR Not regulated

ADN Not regulated

## 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Complies

DSL All components are listed either on the DSL or NDSL.



**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Silicon Dioxide - hydrated		X	Χ		
7631-86-9					
Magnesium oxide	X	X	X		
1309-48-4					
Ci 77491	X	X	X		
1309-37-1					
Alumina	Χ	X	Χ	X	
1344-28-1					
Calcium oxide	Χ	X	Χ		
1305-78-8					

#### International Regulations

#### **Mexico**

National occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Magnesium oxide		Mexico: TWA 10 mg/m <sup>3</sup>
1309-48-4 ( 15 - 40 )		
Ci 77491		Mexico: TWA 5 mg/m <sup>3</sup>
1309-37-1 ( 1 - 5 )		Mexico: STEL 10 mg/m <sup>3</sup>
Alumina		Mexico: TWA 10 mg/m <sup>3</sup>
1344-28-1 ( 1 - 5 )		_



Page 10/11

Calcium oxide	Mexico: TWA 2 mg/m <sup>3</sup>
1305-78-8 ( 1 - 5 )	_

Mexico - Occupational Exposure Limits - Carcinogens

#### Canada

### **WHMIS Hazard Class**

Not determined

## **16. OTHER INFORMATION**

NFPA Health Hazards 1 Flammability 0 Instability 0 Physical and

Chemical Hazards - HMIS Health Hazards 0 Flammability 0 Physical Hazard 0 Personal Protection

X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Revision Date 14-Dec-2015

Revision Note No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

(UL