# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date :** 28-09-2020 **Version (Revision) :** 6.0.0 (5.0.0)

**Print date:** 22-12-2020

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Americol Super Cleaner

# 1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses

PC 35 - Washing and cleaning products

Sectors of use [SU]

Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Process categories [PROC]

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 11 - Non industrial spraying

PROC 19 - Manual activities involving hand contact

**Environmental release categories [ERC]** 

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

### Uses advised against

This product should not be used for purposes other than the applications referred to above.

### 1.3 Details of the supplier of the safety data sheet

# Supplier (manufacturer/importer/only representative/downstream user/distributor)

Americol BV

**Street:** Sluispolderweg 33

**Postal code/city:** 1505 HJ Zaandam **Telephone:** +31 (0)75-631 32 44

**Information contact:** Dept. Safety, Health and Environment

Website: www.americol.nl

E-mail (competent person): info@americol.nl

#### 1.4 Emergency telephone number

National Poisons Information Service (NPIS) Email: director.birmingham.unit@npis.org Website: http://www.npis.org/

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 [CLP]

None

# 2.2 Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

### Special rules for supplemental label elements for certain mixtures

EUH210 Safety data sheet available on request.

Remark

The product is classified and labelled according to EC directives or corresponding national laws.

### 2.3 Other hazards

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

#### 2.4 Additional information

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Page: 1/8

### according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date :** 28-09-2020 **Version (Revision) :** 6.0.0 (5.0.0)

**Print date:** 22-12-2020

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### **Hazardous ingredients**

ALCOHOLS, C9-11, ETHOXYLATE > 2,5 EO; REACH No.: POLYMER; CAS No.: 68439-46-3

Weight fraction: < 2,5 %

Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

1-METHOXY-2-PROPANOL; REACH No.: 01-2119457435-35; EC No.: 203-539-1; CAS No.: 107-98-2

Weight fraction: < 2.5 %

Classification 1272/2008 [CLP]: Flam. Liq. 3; H226 STOT SE 3; H336

**Additional information** 

Full text of H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

No special measures are necessary.

#### In case of skin contact

Change contaminated, saturated clothing. Wash contaminated clothing prior to re-use.

### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Call a physician in any case! Do NOT induce vomiting. If major quantity of dust is swallowed or inhaled, immediately drink: Water

### 4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: No known symptoms to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

None

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Water mist Foam Extinguishing powder Carbon dioxide (CO2)

# Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

#### **Hazardous combustion products**

Carbon monoxide Carbon dioxide (CO2)

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Protective clothing.

### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Page: 2 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date :** 28-09-2020 **Version (Revision) :** 6.0.0 (5.0.0)

**Print date :** 22-12-2020

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

#### **Emergency procedures**

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

### 6.3 Methods and material for containment and cleaning up

#### For containment

Collect in closed and suitable containers for disposal. Treat the recovered material as prescribed in the section on waste disposal.

### For cleaning up

Suitable material for taking up: Sand Absorbing material, organic

#### 6.4 Reference to other sections

See protective measures under point 7 and 8.

### **SECTION 7: Handling and storage**



### 7.1 Precautions for safe handling

None

### 7.2 Conditions for safe storage, including any incompatibilities

### Technical measures and storage conditions

Keep/Store only in original container. Suitable container/equipment material: Stainless steel Polyethylene (PE)

# 7.3 Specific end use(s)

None

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

1-METHOXY-2-PROPANOL; CAS No.: 107-98-2 Limit value type (country of origin): STEL (EC)

Limit value: 150 ppm / 568 mg/m<sup>3</sup>

 $\begin{array}{lll} \mbox{Remark}: & \mbox{H} \\ \mbox{Version}: & \mbox{08-06-2000} \\ \mbox{Limit value type (country of origin)}: & \mbox{TWA ( EC )} \\ \end{array}$ 

Limit value :  $100 \text{ ppm} / 375 \text{ mg/m}^3$ 

Remark: H
Version: 08-06-2000

### **DNEL-/PNEC-values**

### DNEL/DMEL

1-METHOXY-2-PROPANOL; CAS No.: 107-98-2

Page: 3 / 8

(EN/NL)

### according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date:** 28-09-2020 **Version (Revision):** 6.0.0 (5.0.0)

**Print date :** 22-12-2020

Limit value type : DNEL Consumer (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 78 mg/kg

Safety factor: Lichaamsgewicht/dag
Limit value type: DNEL Consumer (systemic)

Exposure route : Inhalation
Exposure frequency : Long-term
Limit value : 43,9 mg/m³

Limit value type : DNEL Consumer (systemic)

Exposure route : Oral
Exposure frequency : Long-term
Limit value : 33 mg/kg

Safety factor: Lichaamsgewicht/dag Limit value type: DNEL worker (local)

Exposure route : Inhalation
Exposure frequency : Short-term
Limit value : 553,5 mg/m³

Limit value type : DNEL worker (systemic)

Exposure route: Inhalation
Exposure frequency: Short-term
Limit value: 553,5 mg/m³

Limit value type : DNEL worker (systemic)

Exposure route: Dermal
Exposure frequency: Long-term
Limit value: 183 mg/kg

Safety factor: Lichaamsgewicht/dag Limit value type: DNEL worker (systemic)

Exposure route: Inhalation
Exposure frequency: Long-term
Limit value: 369 mg/m³

**PNEC** 

1-METHOXY-2-PROPANOL; CAS No.: 107-98-2

Limit value type: PNEC (Aquatic, freshwater)
Exposure route: Water (Including sewage plant)

Limit value : 10 mg/l

Limit value type : PNEC (Aquatic, marine water)
Exposure route : Water (Including sewage plant)

Limit value: 1 mg/l

Limit value type : PNEC (Sediment, freshwater)

Exposure route : Soil

Limit value : 52,3 mg/kg dw

Limit value type : PNEC (Sediment, marine water)

Exposure route : Soil

Limit value : 5,3 mg/kg dw
Limit value type : PNEC (Soil)
Exposure route : Soil

Limit value : 4,59 mg/kg dw

Limit value type: PNEC (Sewage treatment plant)
Exposure route: Water (Including sewage plant)

Limit value : 100 mg/l

# 8.2 Exposure controls

# **Personal protection equipment**

Page: 4/8

(EN/NL)

### according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: Americol Super Cleaner

Version (Revision): 6.0.0 (5.0.0) Revision date: 28-09-2020

Print date: 22-12-2020

### Skin protection

Hand protection Suitable gloves type EN ISO 374 Butyl caoutchouc (butyl rubber) NBR (Nitrile rubber) Required properties liquid-tight. Breakthrough time (maximum wearing time) Permeation time (maximum wear time) Thickness of the glove material Nitril: 0,12 mm Butyl: 0,50 mm Skin and body protection: normal working clothes.

### **General information**

Immediately remove any contaminated clothing, shoes or stockings. Wash contaminated clothing prior to re-use.

# **Environmental exposure controls**

See section 7. No additional measures necessary.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Colour: pink Odour: Perfume

# **Safety characteristics**

Physical state: Liquid Melting point/freezing point: not applicable Initial boiling point and boiling (1013 hPa) 100

range: No data available **Decomposition temperature:** Freezing point: No data available Flash point: not applicable Auto-ignition temperature : No data available

Lower explosion limit: Vol-%

Upper explosion limit: Vol-% ( 20 °C ) Vapour Pressure : No data available

Evaporation rate (n-butylacetate = No data available 1):

(20 °C) Density: approx. 1 g/cm3 Water solubility: (20°C) 100 Wt % pH: 10 Partition coefficient (n-3 octanol/water): (20 °C) Viscosity: 10 mPa\*s

Vapour density (air = 1): (101 kPa) No data available

Valt onder Detergentia Verordening (EG) Nr. 648/2004 yes J/N

### 9.2 Other information

None

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

not applicable

#### 10.2 Chemical stability

Stable under normal conditions of use

# 10.3 Possibility of hazardous reactions

No information available.

### 10.4 Conditions to avoid

No information available.

Page: 5 / 8

### according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date :** 28-09-2020 **Version (Revision) :** 6.0.0 (5.0.0)

**Print date:** 22-12-2020

### 10.5 Incompatible materials

Strong oxidizers

### 10.6 Hazardous decomposition products

No information available.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute oral toxicity

Parameter: LD50 (1-METHOXY-2-PROPANOL; CAS No.: 107-98-2)

Exposure route: Oral
Species: Rat
Effective dose: 5660 mg/kg

Acute dermal toxicity

Parameter: LD50 (1-METHOXY-2-PROPANOL; CAS No.: 107-98-2)

Exposure route: Dermal
Species: Rabbit
Effective dose: 9999,99 mg/kg

Corrosion

Skin corrosion/irritation

Not an irritant.

Serious eye damage/eye irritation

Not an irritant.

Irritation to respiratory tract

No data available

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

### Carcinogenicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

#### Reproductive toxicity

This substance does not meet the criteria for classification as CMR category 1A or 1B according to CLP.

### STOT-single exposure

not applicable

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

harmless to aquatic organisms up to the tested concentration

### 12.2 Persistence and degradability

Biodegradable.

### 12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Page: 6 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : Americol Super Cleaner

Version (Revision): 6.0.0 (5.0.0) Revision date: 28-09-2020

Print date : 22-12-2020

#### 12.6 Other adverse effects

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Delivery to an approved waste disposal company. Contaminated packages must be completely emptied and can be reused following proper cleaning. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### 14.1 UN number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

### 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

### 14.4 Packing group

No dangerous good in sense of these transport regulations.

#### 14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

### 14.6 Special precautions for user

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or 15.1 mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** legislation

### Other regulations (EU)

#### Labelling for contents according to regulation (EC) No. 648/2004

non-ionic surfactants < 5 % cationic surfactants < 5 % perfumes < 5

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this preparation were not carried out.

### **SECTION 16: Other information**

### 16.1 Indication of changes

01. Sectors of use [SU] · 02. Classification of the substance or mixture · 02. Label elements · 02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] · 03. Hazardous ingredients · 08. Occupational exposure limit values

#### 16.2 Abbreviations and acronyms

ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road ASTM = American Society of Testing and Materials (US)

CAS No = Chemical Abstracts Service Number (see ACS - American Chemical Society)

Page: 7 / 8

# according to Regulation (EC) No. 1907/2006 (REACH)



**Trade name :** Americol Super Cleaner

**Revision date:** 28-09-2020 **Version (Revision):** 6.0.0 (5.0.0)

**Print date :** 22-12-2020

DNEL = Derived No-Effect Level

DT50 = Time for 50% loss; half-life

EbC50 = Median effective concentration (biomass, e.g. of algae)

EC50 = Median effective concentration

EINECS = European Inventory of Existing Commercial Chemical Substan

ELINCS = European List of Notified (New) Chemicals (see Tab 7, Background - Guide)

ErC50 = Median effective concentration (growth rate, e.g. of algae)

EWC = European Waste Catalogue

IATA = International Air Transport Association IC50 = Concentration that produces 50% inhibition IMDG = International Maritime Dangerous Goods Code

IMO = International Maritime Organization

LC50 = Concentration required to kill 50% of test organisms

LD50 = Dose required to kill 50% of test organisms LEL = Lower Explosive Limit/Lower Explosion Limit

LOAEL = Lowest observed adverse effect level

MRL = Maximum Residue Limit

NOAEL = No Observed Adverse Effect Level NOEC = No observed effect concentration

NOEL = No Observable Effect Level

OEL = Occupational Exposure Limits

PBT = Persistent, Bioaccumulative or Toxic

PNEC = Previsible Non Effect Concentration

STEL = Short-Term Exposure Limit

TWA = Time-Weighted Average

vPvB = Very Persistent and Very Bioacccumulative

### 16.3 Key literature references and sources for data

None

# <sup>16.4</sup> Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Indeling van de stof of het mengsel: classificatie conform Verordening (EG) Nr. 1272/2008 [CLP] door middel van calculatiemethode via software.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

### 16.6 Training advice

None

# 16.7 Additional information

**Article No.: 908** 

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8