

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 7-5-2014 Revision date: 18-6-2024 Supersedes: 10-11-2023 Version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Eurol Penetration Oil
UFI : VDP2-U46T-E60K-V6Y4

Product code : E127710
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use, Professional use, Consumer use

Use of the substance/mixture : Lubricant

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Eurol B.V. Energiestraat 12 NL-7442 DA Nijverdal The Netherlands Tel: +31 548 615 165

reach@eurol.com - www.eurol.com

1.4. Emergency telephone number

Emergency number : For Transport Emergency Call +31 88 303 7598 (24hr/day 7days/week)

| Country/Area | Organisation/Company | Address | Emergency number | Comment |
|----------------|--|---|--|-----------------------------------|
| Ireland | National Poisons Information Centre Beaumont Hospital | PO Box 1297 Beaumont Road 9 Dublin | +353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7) | |
| Malta | Medicines & Poisons Info Office | Mater Dei Hospital Msida MSD 2090 Msida | +356 2545 6508 | |
| United Kingdom | National Poisons Information Service (Birmingham Centre) City Hospital | Dudley Road B18 7QH | 0344 892 0111 | Only for healthcare professionals |
| United Kingdom | NHS 111/NHS 24/NHS Direct | | 111 0845 4647 | or call a doctor |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Specific target organ toxicity – Repeated exposure, Category 1 H372
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, H412
Category 3

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

CLP Signal word : Danger

Contains : Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

H372 - Causes damage to organs (nervous system) through prolonged or repeated

exposure (Inhalation).

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P260 - Do not breathe dust, fume, gas, mist, spray, vapours. P270 - Do not eat, drink or smoke when using this product.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do

NOT induce vomiting. P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH208 - Contains petroleum, mono-C10-16 saturated linear alkaryl derivatised

benzenesulphonic acid calcium salts . May produce an allergic reaction.

Child-resistant fastening : Applicable Tactile warning : Applicable

2.3. Other hazards

EUH-statements

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--|--|--------|---|
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) substance with a Community workplace exposure limit | EC-No.: 919-164-8 REACH-no: 01-2119473977- 17 | ≥ 50 | STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 |
| Sulfonic acids, petroleum, sodium salts | CAS-No.: 68608-26-4 EC-No.: 271-781-5 REACH-no: 01-2119527859- 22 | 5 – 10 | Eye Irrit. 2, H319 |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|---|---------|--|
| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts | CAS-No.: 68584-23-6 EC-No.: 271-529-4 REACH-no: 01-2119492627- 25 | 1 – 3 | Skin Sens. 1B, H317 |
| naphthalene substance with national workplace exposure limit(s) (IE, MT); substance with a Community workplace exposure limit | CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2 REACH-no: 01-2119561346- 37 | 0,1 – 1 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

| Specific concentration limits: | | | | |
|---|--|------------------------------------|--|--|
| Name | Product identifier | Specific concentration limits (%) | | |
| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts | CAS-No.: 68584-23-6 EC-No.: 271-529-4 REACH-no: 01-2119492627- 25 | (10 ≤ C < 100) Skin Sens. 1B, H317 | | |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : At normal ambient temperatures this product will be unlikely to present an inhalation hazard

because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or

fumes resulting from thermal decomposition products occurs.

Symptoms/effects after skin contact : Repeated exposure may cause skin dryness or cracking.

Symptoms/effects after eye contact : Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Symptoms/effects after ingestion : Risk of lung oedema.

Symptoms/effects upon intravenous administration : Unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustion generates: CO, CO2, POx, NOx, SOx, H2S.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Precautionary measures fire Firefighting instructions

- : Do not enter fire area without proper protective equipment, including respiratory protection.
- : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : Prevent fire fighting water from entering the environment. Sweep up and remove to a

suitable, clearly marked container for disposal in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

Protective equipment : When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of

splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required. Use protective clothing.

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

6.1.1. For non-emergency personnel

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous.

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and

promptly returned to a drum reconditioner or disposed of properly.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Do not

breathe dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do no eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep container tightly closed and in well ventilated place.

Storage conditions : Store locked up.

Incompatible products : Reacts vigorously with strong oxidizers and acids.

Maximum storage period : 5 year Storage temperature : \leq 40 °C

18-6-2024 (Revision date) EN (English) 4/15

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Information on mixed storage : Keep away from : Oxidizing materials. Strong acids.

Storage area : Store at ambient temperature.

Special rules on packaging : Keep container tightly closed and dry.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | |
|--|--|--|--|
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| IOELV TWA (ppm) | 100 ppm | | |
| IOELV STEL (mg/m³) | 350 mg/m³ | | |
| IOELV STEL (ppm) | 56 ppm | | |
| naphthalene (91-20-3) | | | |
| EU - Indicative Occupational Exposure Limit (IOEL) | | | |
| Local name | Naphthalene | | |
| IOELV TWA (mg/m³) | 50 mg/m³ | | |
| IOELV TWA (ppm) | 10 ppm | | |
| Notes | (Year of adoption 2010) | | |
| Regulatory reference | COMMISSION DIRECTIVE 91/322/EEC; SCOEL Recommendations | | |
| Ireland - Occupational Exposure Limits | | | |
| Local name | Naphthalene | | |
| OEL (8 hours ref) (mg/m³) | 50 mg/m³ | | |
| OEL (8 hours ref) (ppm) | 10 ppm | | |
| Remark | IOELV (Indicative Occupational Exposure Limit Values) | | |
| Regulatory reference | Chemical Agents Code of Practice 2021 | | |
| Malta - Occupational Exposure Limits | | | |
| Local name | Naphtalene | | |
| OEL TWA (mg/m³) | 50 mg/m³ | | |
| OEL TWA (ppm) | 10 ppm | | |
| Regulatory reference | S.L.424.24 - Chemical Agents at Work Regulations (L.N.356 of 2021) | | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Exposure-value for oil mist : 10 mg/m3 (15 min.) or 5 mg/m3 (8 hours).

8.1.5. Control banding

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. In case of splash hazard: safety glasses. Eye protection should only be necessary where liquid could be splashed or sprayed.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Other skin protection

Materials for protective clothing:

PVC gloves. Neoprene or nitrile rubber gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

PVC gloves. Neoprene or nitrile rubber gloves.

Other information:

Do not put the product-soaked rags into the pockets of working clothes. Do not use cloths stained with the product to dry hands. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : brown. Appearance : Oily. Liquid. Odour : characteristic. Odour threshold : Not available : ≤ -60 °C ASTM D 97 Melting point Freezing point : Not available Boiling point : > 280 °C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability (solid, gas) : Non flammable.

Lower explosive limit (LEL) : 0,6 vol %

Upper explosive limit (UEL) : 7 vol %

Flash point : $65 \,^{\circ}\text{C}$ ASTM D 93 Auto-ignition temperature : $> 240 \,^{\circ}\text{C}$

Decomposition temperature : Not available pH : Not available

Viscosity, kinematic : 3 – 7 mm²/s at 40 °C, ASTM D 445

Solubility : insoluble in water.
Log Kow : Not available
Vapour Pressure 20°C : < 0,1 hPa
Vapour pressure at 50°C : Not available

Density : 0,835 – 0,845 kg/l ASTM D 4052

Relative density : Not available
Relative vapour density at 20°C : > 1 (air=1)
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 0.6 - 7 vol %

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 0,1

Other properties : Gas/vapour heavier than air at 20°C

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Moisture. Overheating.

10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

| Sulfonic acids, petroleum, sodium salts (68608-26-4) | |
|--|---|
| LD50 dermal rabbit | > 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 1,9 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| S15000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | | |
|--|--|---|--|--|--|
| LD50 dermal rabbit LC50 Inhalation - Rat LC50 Inhalation - Rat (Vapours) > 1,3,1 mg/l4h petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) LD50 oral rat > 18000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:, Remarks on results: other: LD50 dermal rabbit > 4000 mg/kg bodyweight Animal: rat, Guideline: other:, Remarks on results: other: LD50 dermal rabbit > 1,0 mg/kg ar Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Remarks on results: other: LD50 dermal rat > 1,0 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 28000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 28000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other: Solin corresion/irritation - 28000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870 1300 (Acute Inhalation Toxicity), Remarks on results: other: Solin corresion/irritation - 1 Not classified Serious eye damage/irritation - 1 Not classified Respiratory or skin sensitisation - 1 Not classified Carcinogenicity - Not classified Respiratory or skin sensitisation - Not classified Respiratory or skin sensitisation - Not classified Solin alteriation or sensitisation - Not classified Respiratory or skin sensitisation - Not classified Solin alteriation or sensitisation - Not classified Respiratory or skin sensitisation - Not classified Solin alteriation or sensitisation - Not classified Respiratory or skin sensitisation - Not classified Solin alteriation or sensitisation - Not classified Respiratory or skin sensitisation - Not cl | LD50 oral rat | | | | |
| LC50 Inhalation - Rat > 1,58 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) > 13,1 mg/l/4h petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) LD50 oral rat > 16000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:, Remarks on results: other: LD50 dermal rabbit > 4000 mg/kg bodyweight Animal: rat, Guideline: other:, Remarks on results: other: LD50 dermal > 5000 mg/kg > 1,9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Remarks on results: other: naphthalene (91-20-3) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation - Rat Inhalation - | LD50 oral | > 15000 mg/kg bodyweight Animal: | | | |
| LC50 Inhalation - Rat (Vapours) > 13.1 mg/l/4h petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) LD50 oral rat > 16000 mg/kg bodyweight Animat: rat, Animal sex: male, Guideline: other.; Remarks on results: other: LD50 dermal rabbit > 4000 mg/kg bodyweight Animat: rat, Guideline: ether., Remarks on results: other: LD50 dermal > 5000 mg/kg > 1.9 mg/l air Animat: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Remarks on results: other: naphthalene (91-20-3) LD50 oral rat > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2000 mg/kg bodyweight Animat: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute Inhalation toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Garmogenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified Causes damage to organs (nervous system) through prolonged or repeated exposure (inhalation) SUlfonic acids, petroleum, sodium salts (66608-26-4) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Demal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-al | LD50 dermal rabbit | > 3400 mg/kg | | | |
| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) LD50 oral rat > 16000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other., Remarks on results: other: > 4000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other., Remarks on results: other: > 2000 mg/kg LC50 Inhalation - Rat > 5000 mg/kg > 2000 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Remarks on results: other: naphthalene (91-20-3) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2500 ml/kg LC50 Inhalation - Rat > 0.4 mg/l air Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2500 ml/kg LC50 Inhalation - Rat > 0.4 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute Inhalation toxicity), Remarks on results: other: Skin corrosion/irritation Not classified Serious eye damage/irritation Not classified Serious eye damage/irritation Not classified Serious eye damage/irritation Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Germ cell mutagenicity Not classified Carcinogenicity Not classified Reproductive toxicity Not classified Serious eyesure No | LC50 Inhalation - Rat | > 1,58 mg/l Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) | | | |
| LD50 oral rat Second Seco | LC50 Inhalation - Rat (Vapours) | > 13,1 mg/l/4h | | | |
| results: other: LD50 dermal rabbit | petroleum, mono-C10-16 saturated linear alka | aryl derivatised benzenesulphonic acid calcium salts (68584-23-6) | | | |
| L050 dermal South of the company | LD50 oral rat | | | | |
| LC50 Inhalation - Rat > 1.9 mg/l air Animal: rat, Guideline: EPA OPP 81-3 (Acute inhalation toxicity), Remarks on results: other: naphthalene (91-20-3) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat LC50 Inhalation - Rat 2 0.4 mg/l air Animal: rat, Guideline: OHECD Guideline 403 (Acute Inhalation - Rat Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute Inhalation toxicity), Remarks on results: other: Skin corrosion/irritation 3 | LD50 dermal rabbit | > 4000 mg/kg bodyweight Animal: rabbit, Guideline: other:, Remarks on results: other: | | | |
| naphthalene (91-20-3) LD50 oral rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LC50 Inhalation - Rat 2000 mg/kg air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870:1300 (Acute Inhalation toxicity), Remarks on results: other: Skin corrosion/irritation 3 | LD50 dermal | > 5000 mg/kg | | | |
| LD50 oral rat | LC50 Inhalation - Rat | , | | | |
| LO50 dermal rat 2500 ml/kg | naphthalene (91-20-3) | | | | |
| LC50 Inhalation - Rat > 0.4 mg/l air Animal: rat, Guideline: OHECD Guideline 403 (Acute Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: other: Skin corrosion/irritation | LD50 oral rat | , | | | |
| Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks on results: other: Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Garcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified STOT-single exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) | LD50 dermal rat | > 2500 ml/kg | | | |
| Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). Petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | LC50 Inhalation - Rat | Inhalation Toxicity), Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity), Remarks | | | |
| Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified naphthalene (91-20-3) LOAEL (animal/female, F1) | | | | | |
| Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified naphthalene (91-20-3) LOAEL (animal/female, F1) | | | | | |
| Carcinogenicity : Not classified Reproductive toxicity : Not classified naphthalene (91-20-3) LOAEL (animal/female, F1) | | | | | |
| naphthalene (91-20-3) LOAEL (animal/female, F1) 450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | | | | | |
| LOAEL (animal/female, F1) 450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | Reproductive toxicity : | Not classified | | | |
| STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | naphthalene (91-20-3) | | | | |
| STOT-repeated exposure : Causes damage to organs (nervous system) through prolonged or repeated exposure (Inhalation). Sulfonic acids, petroleum, sodium salts (68608-26-4) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) > 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | LOAEL (animal/female, F1) | 450 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other: | | | |
| NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). | | | | | |
| NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | STOT-repeated exposure : | | | | |
| Day Oral Toxicity Study in Rodents) NOAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | Sulfonic acids, petroleum, sodium salts (6860 | 08-26-4) | | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | NOAEL (oral, rat, 90 days) | | | | |
| NOAEL (dermal, rat/rabbit, 90 days) ≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | NOAEL (dermal, rat/rabbit, 90 days) | | | | |
| Toxicity: 90-Day Study) STOT-repeated exposure Causes damage to organs (central nervous system) through prolonged or repeated exposure (Inhalation). petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | | |
| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | NOAEL (dermal, rat/rabbit, 90 days) | | | | |
| NOAEL (oral, rat, 90 days) 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28- | STOT-repeated exposure | | | | |
| | petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) | | | | |
| | NOAEL (oral, rat, 90 days) | 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents) | | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) | | | | |
|--|---|--|--|--|
| NOAEL (dermal, rat/rabbit, 90 days) | > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study) | | | |
| naphthalene (91-20-3) | | | | |
| LOAEL (oral, rat, 90 days) | 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | | | |
| LOAEC (inhalation, rat, vapour, 90 days) | 0,011 mg/l air Animal: rat, Guideline: EPA OPP 82-4 (90-Day Inhalation Toxicity), Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study) | | | |
| NOAEL (oral, rat, 90 days) | 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | | | |
| NOAEL (dermal, rat/rabbit, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study) | | | |
| Aspiration hazard : May be fatal if swallowed and enters airways. | | | | |
| Eurol Penetration Oil | | | | |
| Viscosity, kinematic | 3 – 7 mm²/s at 40 °C, ASTM D 445 | | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | | |
| Viscosity, kinematic 1,2 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)' | | | | |

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Other information

: Toxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the toxicology of similar products, Likely route of exposure: ingestion, skin and eye.

SECTION 12: Ecological information

| | | | | | | ٠ | | | |
|---|----|---|--|---------------------|---|---|---|----|----|
| 4 | 2. | 4 | | $\boldsymbol{\cap}$ | v | П | ~ | 11 | w |
| | 4. | | | u | А | u | u | ı | N. |

Ecology - general : Harmful to aquatic life with long lasting effects.

Ecology - water : This product floats on water and may affect the oxygen-balance in the water.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

| (411-611-6) | | | |
|--|---|--|--|
| Sulfonic acids, petroleum, sodium salts (68608-26-4) | | | |
| EC50 72h - Algae [1] > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous name Pseudokirchneriella subcapitata, Selenastrum capricornutum) | | | |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum) | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | | |
| LC50 fish 1 | 10 – 100 mg/l Oncorhynchus mykiss (Rainbow trout) | | |
| EC50 Daphnia 1 | 10 – 22 mg/l EC50 48h - Daphnia magna [mg/l] | | |
| LOEC (acute) | 0,091 mg/l 28 d | | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) | | | |
|---|---|--|--|
| EC50 72h - Algae [1] > 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous nan Raphidocelis subcapitata, Selenastrum capricornutum) | | | |
| EC50 96h - Algae [1] | > 1000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) | | |
| naphthalene (91-20-3) | | | |
| LC50 fish 1 | 0,51 mg/l | | |
| EC50 Daphnia 1 | 2,16 mg/l Test organisms (species): Daphnia magna | | |
| NOEC (chronic) | 0,59 mg/l Test organisms (species): Daphnia pulex Duration: '125 d' | | |

12.2. Persistence and degradability

| Eurol Penetration Oil | | | |
|--|-------------------------------|--|--|
| Persistence and degradability | Not readily biodegradable. | | |
| Sulfonic acids, petroleum, sodium salts (6860 | 8-26-4) | | |
| Persistence and degradability | Rapidly degradable | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkane | s, cyclics, aromatics (2-25%) | | |
| Persistence and degradability | Product is biodegradable. | | |
| Biodegradation | 74,7 % (OECD 301F method) | | |
| petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts (68584-23-6) | | | |
| Persistence and degradability | Rapidly degradable | | |
| naphthalene (91-20-3) | | | |
| Persistence and degradability | Rapidly degradable | | |

12.3. Bioaccumulative potential

| Eurol Penetration Oil | | |
|--|---|--|
| Bioaccumulative potential This product is not expected to bioaccumulate through food chains in the environment | | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | |
| Log Pow >4 | | |
| Bioaccumulative potential | This product is not expected to bioaccumulate through food chains in the environment. | |

12.4. Mobility in soil

| Eurol Penetration Oil | | |
|--|--|--|
| Ecology - soil | Not miscible with water. Spillages may penetrate the soil causing ground water contamination. This product floats on water and may affect the oxygen-balance in the water. | |
| Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | | |
| Ecology - soil | Not miscible with water. Spillages may penetrate the soil causing ground water contamination. | |

12.5. Results of PBT and vPvB assessment

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Product/Packaging disposal recommendations

Sewage disposal recommendations

Waste disposal recommendations

Additional information

Ecology - waste materials

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- Every mixture with foreign substances such as solvents, brake- and cooling liquids is forbidden. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum reconditioner or disposed of properly. When not empty dispose of this container at hazardous or special waste collection point.

European List of Waste (LoW, EC 2000/532) : 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN

| ADR | IMDG | IATA | ADN | |
|--|----------------------------------|-----------------------------------|-----------------------------------|--|
| 14.1. UN number or ID number | • | | | |
| Not regulated for transport | | | | |
| 14.2. UN proper shipping nam | е | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.3. Transport hazard class(e | 14.3. Transport hazard class(es) | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.5. Environmental hazards | | | | |
| Dangerous for the environment: No Dangerous for the environment: No Marine pollutant: No | | Dangerous for the environment: No | Dangerous for the environment: No | |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

A chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|--|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Modified | |
| | Supersedes | Modified | |
| 1.2 | Main use category | Modified | |
| 2.2 | Precautionary statements (CLP) | Modified | |
| 2.3 | Other hazards not contributing to the classification | Removed | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Indication of changes | | | |
|-----------------------|--------------------------------------|----------|----------|
| Section | Changed item | Change | Comments |
| 4.2 | Symptoms/injuries after skin contact | Modified | |
| 5.3 | Firefighting instructions | Modified | |
| 6.1 | General measures | Modified | |
| 6.1 | Emergency procedures | Modified | |
| 6.3 | For containment | Modified | |
| 7.2 | Storage conditions | Modified | |
| 7.2 | Packaging materials | Added | |
| 9.1 | Log Pow | Removed | |
| 9.2 | VOC content | Removed | |
| 12.3 | Log Pow | Removed | |
| 13.1 | Additional information | Modified | |
| 13.1 | Waste disposal recommendations | Modified | |
| 13.1 | Sewage disposal recommendations | Added | |
| 15.1 | VOC content | Removed | |
| 15.1 | REACH Annex XVII | Removed | |
| 16 | Other information | Modified | |
| 16 | Data sources | Modified | |
| 16 | Training advice | Added | |

| Abbreviations and acronyms: | | |
|-----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: | | |
|-----------------------------|--|--|
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

Data sources

Training advice

Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Supplier's safety documents. ECHA (European Chemicals Agency).

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

: The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

| Full text of H- and EUH-statements: | | |
|-------------------------------------|--|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 | |
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 | |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 | |
| Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Carc. 2 | Carcinogenicity, Category 2 | |
| EUH066 | Repeated exposure may cause skin dryness or cracking. | |
| EUH208 | Contains petroleum, mono-C10-16 saturated linear alkaryl derivatised benzenesulphonic acid calcium salts . May produce an allergic reaction. | |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Full text of H- and EUH-statements: | | |
|-------------------------------------|---|--|
| H302 | Harmful if swallowed. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H317 | May cause an allergic skin reaction. | |
| H319 | Causes serious eye irritation. | |
| H351 | Suspected of causing cancer. | |
| H372 | Causes damage to organs through prolonged or repeated exposure. | |
| H400 | Very toxic to aquatic life. | |
| H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 | Harmful to aquatic life with long lasting effects. | |
| Skin Sens. 1B | Skin sensitisation, category 1B | |
| STOT RE 1 | Specific target organ toxicity – Repeated exposure, Category 1 | |

| Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]: | | |
|---|------|--------------------|
| STOT RE 1 H372 Calculation method | | Calculation method |
| Asp. Tox. 1 | H304 | Calculation method |
| Aquatic Chronic 3 | H412 | Calculation method |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.